



K A N S A S

RODERICK L. BREMBY, SECRETARY

DEPARTMENT OF HEALTH AND ENVIRONMENT

KATHLEEN SEBELIUS, GOVERNOR

May 19, 2004

Lon Stewart
Clean Harbors Kansas, LLC
1340 West Lincoln Street
Phoenix, AZ 85007

Re: RCRA Compliance Inspection September 8, 9, and 23, 2003
EPA Identification Number KSD 007 246 846
Sedgwick

Dear Mr. Stewart:

Based on the site inspection conducted by Shawn Howell, Bureau of Waste Management (BWM), Hazardous Waste Permits on May 5, 2004, and the information provided in your letter our office received on May 10, 2004, violation 12a cited during the compliance inspection conducted on September 8, 9, and 23, 2003, has been corrected.

Please be aware that a report of this inspection is submitted to the BWM in Topeka for review. Each report is reviewed and an evaluation is made to determine if additional enforcement is warranted. A penalty may be issued by BWM for violations identified during this inspection.

Your cooperation with the hazardous waste management program is appreciated. If you have any questions regarding this inspection or this letter, you may contact me at (316) 337-6039.

Sincerely,

Debbie Travis
Bureau of Environmental Field Services

cc: John Mitchell, BWM, Compliance and Enforcement, Topeka
Mark Duncan, BWM, Compliance and Enforcement, Topeka
Mostafa Kamal, BWM, Permits Section, Topeka
SCDO, File

14
472634



RCRA RECORDS

South Central District Office
Voice 316-337-6039

DIVISION OF ENVIRONMENT
Bureau of Environmental Field Services
130 S. Market, Suite 6050
Fax 316-337-6023
Printed on Recycled Paper

Wichita, KS 67202-3802
dtravis@kdhe.state.ks.us



2549 North New York Street
Wichita, KS 67219

RECEIVED
MAY 10 2004
South Central District

May 5, 2004

Ms. Debbie Travis
Bureau of Environmental Field Services
Kansas Dept. of Health and Environment
130 S Market, Suite 6050
Wichita, Kansas 67202-3802

RE: Completion of Corrective Action
RCRA Compliance Inspection September 8, 9, and 23, 2003
US EPA ID No. KSD 007 246 846

Dear Ms. Travis:

The inspection of the Clean Harbors Kansas, LLC facility, conducted on September 8, 9, and 23, 2003 identified an item 12A, roof repairs on Building D, that needed attention. On January 22, 2004, KDHE granted Clean Harbors Kansas, LLC an extension until May 15, 2004 to correct this issue. The roof repairs were completed on April 29, 2004.

On April 29, 2004, Roof Mechanics, of Wichita, Kansas, completed the necessary repairs to Building D to once again make it watertight. Mother Nature provided the necessary precipitation on May 1, 2004 to adequately test the repairs. The roof did not leak.

The completion of Item 12A was the final open item of this inspection. The inspection can now be considered complete and closed.

If you need any additional information, please feel free to contact me at 602-462-2315.

Sincerely,

Lon Stewart
Regulatory Compliance Manager

CC: Shawn Howell, KDHE, BWM, Hazardous Waste Permits Section, Topeka, Kansas



Shawn Howell

06-05-2004 14:37

To: Deborah Travis/Kdhe@Kdhe
cc: Mostafa Kamal/Kdhe@Kdhe, Roger Carman/Kdhe@Kdhe
Subject: Clean Harbors - Bldg D

Debbie, I visited Clean Harbors Kansas on Tuesday in preparation for their renewal application and to check the status of Building D. Building D was in need of a new roof and the condition of the building was in your last inspection report as violation 12A.

The roof has been repaired. According to Lon Stewart, the repairs were finished last week. Per your January 22, 2004 letter, Clean Harbors had until May 15, 2004 to complete the repairs. I believe they have fulfilled your request. Mr. Stewart said he will send us a letter soon addressing the new roof.

Shawn Howell
Hazardous Waste Permits
Bureau of Waste Management
785-296-6562